



| | | | | | | | |
|---|------|---------------------|------|---|-------|----------------------|---------|
| Material | | N.A. | | Mass 4260 g | | Scale 1:2 | |
| Surface treatment | | N.A. | | Part No. CO28110 | | | |
| Geometrical tolerance (ISO 2768-2) | | | | Class | K | Undimensioned bevels | 0.5x45° |
| Linear tolerance (ISO 2768-2) | | | | Class | m | Undimensioned radii | R 0.5 |
| 0.5 | >3+ | >6+ | >30+ | >120 | >400+ | >1000 | >2000 |
| +3 | 6 | 30 | 120 | +400 | 1000 | +2000 | +4000 |
| ±0.1 | ±0.1 | ±0.2 | ±0.3 | ±0.5 | ±0.8 | ±1.2 | ±2 |
| | | Date | | Name | | Drawing No. | |
| | | Designed 05/03/2015 | | Vasconetto | | DP 28110-B | |
| | | Drawn 16/05/2019 | | Rodella | | Sheet 1/1 | |
| Checked 16/05/2019 | | Rodella | | <small>Secret and confidential - All rights reserved - No copy, dissemination or circulation is allowed unless specifically authorized in writing by OPTO ENGINEERING S.r.l. - Any violation shall be legally prosecuted.</small> | | | |
| OPTO ENGINEERING S.r.l. - Mantova, Italy - Tel. +39 0376699111 - www.opto-e.com | | | | | | | |